



F3 V 050

TAIL-LIFT FOR PANEL VANS

LOAD CAPACITY: 500 KG



DESCRIPTION

The F3 V 050 has been designed and built for the 3.5 / 5 ton panel van range and can be installed easily without modifications to the host vehicle. Installation is made quick and easy with individual mounting brackets to suit most commercial vans such as:

- Fiat DUCATO - Citroen JUMPER - Peugeot BOXER
- Ford TRANSIT
- Iveco DAILY
- Mercedes Benz SPRINTER
- Nissan MV300 - NV400
- Renault MASTER / TRAFIC
- Opel MOVANO / VIVARO
- Volkswagen CRAFTER - Man TGE

SPECIFICATIONS

Platform width:	1400 to 1530 mm (related to vehicle)
Platform depth:	1400 or 1600 mm
Lift cylinders:	1
Tilt cylinders:	1
Autotilt at ground:	Hydraulic (with memory feature)
Platform opening:	Hydraulic opening
Power supply:	12 V
Frame color:	Black KTL plus and powder paint
Weight:	from 177 Kg

SUGGESTED OPTIONS

- Inside body remote control;
- Radio remote control;
- Foot operated controls on platform;
- Blinking lights on platform;
- Roll stop;
- Bridge plate to van floor





F3 V 050

TAIL-LIFT FOR PANEL VANS


LOAD CAPACITY: 500 KG

TECHNICAL DATA

Mod.	Load Capacity (600 mm load centre)	Standard platform dimension		Weight* (Kg)	Floor to ground (max)
		Depth	Width		
F3 V 050	500 Kg	1400 1600 1800	1400 to 1530 (related to vehicle)	179 185 191	800

* Approximate weight for tail-lift equipped with aluminium platform dimensions 1600 x 1400 mm.
The above mentioned weights are approximate and may vary according to production. Anteo reserves the right to change weights and technical specifications without prior notice. No indemnity for damages can be claimed from Anteo for changes in technical specifications and/or in weight.


01/2021



LOW MAINTENANCE BUSHES AND CHROMIUM PLATED PINS.



POWDER COATING PAINT (2) ADDED TO KTL PLUS (1). NO RUST AND NO SALT STAINS.



HI-TENSILE ALUMINIUM SPECIALISTS SINCE 1992.



LOW NOISE POWER UNIT & NO ELECTRONICS = EASY MAINTENANCE